
Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources			o 13 With regula to energ	87 8			
Supplier's name or trade mark: Dyberg Larsen Supplier's address: Direktionen, Fabriksvej 1, 5466 Middelfart Asperup, DK							
							Model identifier: 1111
Type of light so	urce:						
Lighting technology used:		LED	Non-directional or directional:	NDLS			
Light source cap-type		XTE					
(or other electric interface)							
Mains or non-mains:		NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:		No	Envelope:	-			
High luminance light source:		No					
Anti-glare shield:		No	Dimmable:	No			
		Product para		I			
Parameter		Value	Parameter	Value			
		General product p		_			
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		2	Energy efficiency class	E			
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		275 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000			
On-mode power (P _{on}), ex- pressed in W		2,3	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00			
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	83			
Outer dimen-	Height	135	Spectral power dis-	See image			
sions without separate con- trol gear, light- ing control	Width Depth	100 115	tribution in the range 250 nm to 800 nm, at full-load	in last page			

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	67			
		Chromaticity coordi-	0,425			
		nates (x and y)	0,398			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	13	Survival factor	1,00			
the lumen maintenance factor	0,98					

(a)'-': not applicable; (b)'-': not applicable;



Chromaticity Coordinates: x=0.4290 v=0.4025 u'=0.2461 v'=0.5196